

# LINDSEY'S STAR SPECTACULAR TABLE RUNNER



FORT WORTH FABRIC STUDIO

DESIGNED BY: LINDSEY WEIGHT


Read all instructions before starting. Seam allowances are  $\frac{1}{4}$ ". WOF = width of fabric. HST = half square triangle.

## Cutting Instructions:

6" x WOF  2 - 3 1/2" x 3 1/2" squares (A)  
16 - 2" x 2" squares (B)

5" x 22"  1 - 3 1/2" x 3 1/2" square (A)  
8 - 2" x 2" squares (B)

5" x WOF  8 - 2" x 3 1/2" rectangles (C)  
16 - 2" x 2" squares (D)

7/8 yard  12 - 2 1/2" x 2 1/2" squares (F)  
36 - 2" x 3 1/2" rectangles (G)  
24 - 2" x 2" squares (H)  
24 - 2" x 2" squares (J)  
12 - 2" x 5" rectangles (K)  
2 - 2" x 36 1/2" strips (L)  
2 - 2" x 15 1/2" strips (M)

13" x WOF  4 - 2 1/2" x WOF strips (binding)

4" x WOF  4 - 2" x 3 1/2" rectangles (C)  
8 - 2" x 2" squares (D)


3" x WOF  4 - 2 1/2" x 2 1/2" squares (E)

3" x WOF  8 - 2 1/2" x 2 1/2" squares (E)


21" x WOF  Backing

### Block Assembly Instructions:


Draw a guideline corner to corner on the wrong side of all D squares. Place a D square along one end of a G rectangle, right sides together, and stitch along previously marked guideline (the dotted line in the diagram). With a rotary cutter and ruler, trim excess fabric, leaving a 1/4" seam allowance, and press D fabric out. Repeat on the other end of the G rectangle to complete the flying geese unit. **Make 4 "D" flying geese units per block.**





Draw a guideline corner to corner on the wrong side of all B squares. Place a B square along one end of a G rectangle, right sides together, and stitch along previously marked guideline (the dotted line in the diagram). With a rotary cutter and ruler, trim excess fabric, leaving a 1/4" seam allowance, and press B fabric out. Repeat on the other end of the G rectangle to complete the flying geese unit. **Make 4 "B" flying geese units per block.**



Draw a guideline corner to corner on the wrong side of all J squares. Place a J square along one end of a C rectangle, right sides together, and stitch along previously marked guideline (the dotted line in the diagram). With a rotary cutter and ruler, trim excess fabric, leaving a 1/4" seam allowance, and press J fabric out. Repeat on the other end of the C rectangle to complete the flying geese unit. **Make 4 "C" flying geese units per block.**




Place an F square and an E square right sides together. Draw a guideline from corner to corner. Stitch a 1/4" from each side of the drawn line. With a rotary cutter and ruler, cut on your guideline. Press HST's to the dark fabric. **Trim half square triangles to 2" x 2" Make 8 HST's per block.**




**Block Layout**


Join flying geese units D, B and C together as pictured below. Press. **Make 4 units per block.**




Join H squares and HST units together to make a four patch unit. **Make two A units and two B units per block.**




Join a G rectangle to the top of Unit A. Press. Join a K rectangle to the left side of Unit A. Press. **Make 2 per block.**




Join a G rectangle to the top of Unit B. Press. Join a K rectangle to the right side of Unit B. Press. **Make 2 per block.**



Join blocks into rows. Join rows together. Press. **Make 3 blocks. 12.5" x 12.5"**




Join blocks together to make a row of three. Sew top and bottom border strips on. Press. Sew left and right border strips on. Press.



Baste, quilt, and bind with your preferred methods.

Runner finishes: 15" x 39"



For more patterns and tutorials visit the Fort Worth Fabric Studio Blog.